

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Atty: Donald Scaltrito on February 19, 2008.

The application has been amended as follows:

In claim 1, at the end of line 7 insert -- that contains 75-90 wt% of dielectric filler, --.

In claim 26, in line 6 after "with a" insert -- dielectric filler containing --.

In claim 27, in line 7 after "with a" insert -- dielectric filler containing --.

In claim 28, in line 8 after "with a" insert -- dielectric filler containing --.

In claim 29, in line 8 after "with a" insert -- dielectric filler containing --.

Claim 3 has been canceled.

2. The following is an examiner's statement of reasons for allowance: there is no teaching in the prior art suggesting a sealing material that made up of dielectric filler and polyimide resin used between a metal foil and a dielectric layer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 1794

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cathy Lam whose telephone number is (571) 272-1538. The examiner can normally be reached on 9am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on (571) 272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Cathy Lam/  
Primary Examiner, Art Unit 1794